



XI'AN FUNCTION MATERIAL GROUP CO., LTD
Material Safety Data Sheet
Nickel (IV) sulfide

1. Product and Company Identification

Trade Name:	Nickel (IV) sulfide
Chemical Formula:	NiS ₂
Manufacturer/Supplier:	XI'AN FUNCTION MATERIAL GROUP CO., LTD
Street:	No. 69, Gazelle Valley, High-Tech Zone
City:	XI'AN
State:	Shaanxi
Zip Code:	710077
Country:	China
Tel #:	+86-29-88993870/+86-13519132051

FUNCMATER

2. Hazards Identification

Signal Word:

Danger



Hazard Statements:

H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.
H341: Suspected of causing genetic defects
H350: May cause cancer.
H372: Causes damage to organs through prolonged or repeated exposure

Precautionary Statements:

P260: Do not breathe dust/fume/gas/mist/vapors/spray
P264: Wash skin thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/ eye protection/ face protection.
P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313: IF exposed or concerned: Get medical advice/ attention.
P330 Rinse mouth.
P332+P313: If skin irritation occurs: Get medical advice/ attention.
P337+P313: If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P405: Store locked up.
P501: Dispose of contents/ container to an approved waste disposal plant.

HMIS Health Ratings (0-4):

Health:	2
Flammability:	0
Physical:	1

3. Composition

Chemical Family:	Nonmetal
Additional Names:	Nickel disulfide
Nickel (IV) sulfide (NiS ₂):	
Percentage:	100 wt%
CAS #:	12035-51-7
EC #:	683-050-1

4. First Aid Procedures

General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult. Keep patient warm. Seek immediate medical attention.
Ingestion:	Seek immediate medical attention.
Skin:	Immediately wash affected area with mild soap and water. Remove any contaminated clothing. Seek immediate medical attention.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek immediate medical attention.

5. Firefighting Measures

Flammability:	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Keep unprotected persons away. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits:	0.1 mg/m ³ as Ni, long-term value
Threshold Limit Value:	N/A
Special Equipment:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Respiratory Protection:	Dust Respirator
Protective Gloves:	Rubber gloves
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics

Color	N/A
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	N/A
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	N/A
Molecular weight:	122.82 g/mol

10. Reactivity

Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume, sulfur oxides, nickel oxides

11. Toxicological Information

Potential Health Effects:	
Eyes:	Causes serious eye irritation
Skin:	Harmful in contact with skin. Causes skin irritation.
Ingestion:	Harmful if swallowed
Inhalation:	Harmful if inhaled. May cause respiratory irritation
Chronic:	Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure. Route of exposure: inhalation.
Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	N/A
Carcinogen:	Possible human carcinogen IARC: 1 - Group 1: Carcinogenic to humans (Nickel sulfide) NTP: Known to be human carcinogen (Nickel sulfide) OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA

12. Ecological Information


Aquatic Toxicity:	N/A
Persistent Bioaccumulation Toxicity:	N/A
Very Persistent, Very Bioaccumulative:	N/A
Notes:	Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effect to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 9 Miscellaneous dangerous substances and articles
Packing Group: III
UN Number: UN3077
Proper Shipping Name: Environmentally hazardous substances, solid, n.o.s. (Nickel (IV) sulfide)

15. Regulatory Information

Sec 302 Extremely Hazardous: No
Sec 304 Reportable Quantities: N/A
Sec 313 Toxic Chemicals: Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 09/12/2018